

Dräger X-pect® Goggles Protective Eyewear

The Dräger X-pect® goggle series provides premium eye protection and gives you an optimal fit with prescription glasses thanks to their low weight. A closed seal between goggle and face provides you with complete protection. In addition, the goggles are very robust and can be easily combined with other protective equipment like Dräger half mask respirators.



Benefits

All-round protection and perfect fit

The close-fitting design of the goggles ensures secure all-round protection and a perfect fit.

Flexible PVC frame with indirect ventilation

The flexible PVC frame is designed with a tight seal, ensuring you an optimal fit while providing protection against droplet infections. The indirect ventilation allows you to have a clear view without fogging.

Anti-scratch and anti-fog coating

The X-pect® 4200 / 4400 / 4800 / 4900 are equipped with a premium NK anti-scratch and anti-fog coating - for a clear view in any situation.

Designed for easy fit and pressure-free wear

All goggles are easy to adjust in size. The wide, elastic headband ensures pressure-free wearing.

Shatterproof and lightweight material

The X-pect® 8510 / 8520 / 4200 goggles have a shatterproof polycarbonate lens that assures you a very long service life. Thanks to their lightweight material, the goggles offer high wearing comfort even during long periods of use. The X-pect® 8515 / 4400 model is equipped with an acetate lens for high chemical resistance. The X-pect® 4800 / 4900 models are equipped with a double lens made of acetate and polycarbonate for high chemical resistance and ballistic protection.

Premium comfort

Thanks to their ergonomic shape, X-pect® goggles are comfortable to wear. Even in combination with other personal protective equipment, such as Dräger X-plore® half masks, you are ensured a high level of wearing comfort.

UV protection and best optical class

The goggles offer the highest possible UV protection as well as the best optical class for protective goggles (class 1) for continuous use. In addition, they are certified according to EN 166:2001 and CE compliant. The X-pect 4200 / 4400 / 4800 / 4900 are additionally certified according to ANSI Z87.1, AUS/NZ 1337 and CSA Z94.3.

Details



D-33527-2009

Dräger X-pect® 8510



D-33527-2009

Dräger X-pect® 8515



D-6605-2011

Dräger X-pect® 8520



D-6982-2022

Dräger X-pect® 4200



D-6982-2022

Dräger X-pect® 4400



D-4303-2021

Dräger X-pect® 4800 black



D-1273-2021

Dräger X-pect® 4900 sand



D-1302-2021

Dräger X-pect® 4900 olive



D-6684-2022

Packaging Dräger X-pect® 4800



D-1326-2010

Sales Packaging Dräger X-pect® 8000

Overview X-pect® Goggles

	Dräger X-pect® 8510	Dräger X-pect® 8515	Dräger X-pect® 8520	Dräger X-pect® 4200	Dräger X-pect® 4400	Dräger X-pect® 4800	Dräger X-pect® 4900
Weight (g)	101	86	88	100	86	138	138
Lens material	PC	Acetate	PC	PC	AC	AC+PC	AC+PC
Frame material	PVC	PVC	PVC	PVC	PVC	PVC	PVC
UV protection	yes	yes	yes	yes	yes	yes	yes
Anti-fog	yes	yes	yes	yes	yes	yes	yes
Anti-scratch	yes	yes	yes	yes	yes	yes	yes
Browguard	yes	yes	yes	yes	yes	yes	yes
Compatible with prescription glasses	yes	yes	yes	no	no	yes	yes
Lens colour	clear	clear	clear	clear	clear	clear / smoky grey / amber	clear / smoky grey / amber
Soft nose bridge	yes	yes	yes	yes	yes	yes	yes
Adjustable in length	yes	yes	yes	yes	yes	yes	yes
Adjustable angle	no	no	no	no	no	no	no
Protection against droplet infections	no	yes	no	no	yes	yes	yes

Related Products



D-33519-2009

Dräger X-pect® Cover Spectacles

Dräger X-pect® cover spectacles are the right choice for a wide range of applications. Thanks to their large field of vision, the cover spectacles are compatible with most prescription eyewear. In addition, other personal protective equipment, such as half masks, can be easily combined.

Related Products



D-33520-2009

Dräger X-pect® Spectacles

Optimum fit and high comfort: Dräger X-pect® spectacles. Each model has special features such as flat and flexible temples that adapt individually to the shape of the head. Dräger spectacles offer you a long service life thanks to the high-quality materials and can be optimally combined with other personal protective equipment, such as half masks.

Ordering Information

Dräger X-pect® Goggles	No. of pcs.	Order No.
Goggle Dräger X-pect® 8510	6	R 58 373
Goggle Dräger X-pect® 8515	6	R 58 271
Goggle Dräger X-pect® 8520	5	R 58 272
Goggle Dräger X-pect® 4200 clear	5	3717310
Goggle Dräger X-pect® 4200 black	5	3717311
Goggle Dräger X-pect® 4400 clear	5	3717320
Goggle Dräger X-pect® 4400 black	5	3717321
Goggle Dräger X-pect® 4800	1	3717341
Goggle Dräger X-pect® 4900 sand	1	3717350
Goggle Dräger X-pect® 4900 oliv	1	3717351
Replacement lens Dräger X-pect 4200 smoke	10	3717316
Replacement lens Dräger X-pect 4800 / 4900 clear	1	3717345
Replacement lens Dräger X-pect 4800 / 4900 smoke	1	3717346
Replacement lens X-pect 4800 / 4900 amber	1	3717347

Not all products, features, or services are for sale in all countries.

Mentioned Trademarks are only registered in certain countries and not necessarily in the country in which this material is released. Go to www.draeger.com/trademarks to find the current status.

CORPORATE HEADQUARTERS

Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany
www.draeger.com

REGION DACH

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE

Dräger Safety AG & Co. KGaA
Revalstraße 1
23560 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION MIDDLE EAST, AFRICA

Dräger Safety AG & Co. KGaA
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA PACIFIC

Dräger Singapore Pte. Ltd.
61 Science Park Road
The Galen #04-01
Singapore 117525
Tel: +65 6872 9288
Fax: +65 6259 0398
asia.pacific@draeger.com

REGION CENTRAL AND SOUTH AMERICA

Dräger Indústria e Comércio Ltda.
Al. Pucurui - 51 - Tamboré
06406-100 - Barueri - SP
Tel. +55 (11) 4689-4900
relacionamento@draeger.com

Locate your Regional Sales
Representative at:
www.draeger.com/contact

